

Index

- Adams, C.B.T. *see* Yap, L.B.
Adams, J.E. *see* Murray, R.D.
Adams, I.P. *see* Green, V.L.
Adamson, K.A., Cross, I., Batch, J.A., Rappold, G.A., Glass, I.A. & Ball, S.G. Trisomy of the short stature homeobox-containing gene (*SHOX*) resulting from a duplication-deletion of the X chromosome: 671
Adan, L., Chemaitylly, W., Trivin, C. & Brauner, R. Factors predicting adult height in girls with idiopathic central precocious puberty: implications for treatment: 297
Agapito, A. *see* Cavaco, B.M.
Ahmad, A.M., Hopkins, M.T., Weston, P.J., Fraser, W.D. & Vora, J.P. Effects of GH replacement on 24-h ambulatory blood pressure and its circadian rhythm in adult GH deficiency: 431
Aimaretti, G., Baffoni, C., Broglio, F., Janssen, J.A.M., Cornelius, G., Deghenghi, R., van Der Lely, A.J., Ghigo, E. & Arvat, E. Endocrine responses to ghrelin in adult patients with isolated childhood-onset growth hormone deficiency: 765
Ain, K. *see* Ouyang, B.
Åkerström, G. *see* Correa, P.
Aladjem, M. *see* Bistrizter, T.
Alba, L.G. *see* Dain, L.B.
Albers, N. *see* Woelfle, J.
Alberti, L. *see* Fugazzola, L.
Alvarez, P., Isidro, L., Leal-Cerro, A., Casanueva, F.F., Dieguez, C. & Cordido, F. Effect of withdrawal of somatostatin plus GH-releasing hormone as a stimulus of GH secretion in obesity: 487
Amato, G., Mazzotti, G., Rotondi, M., Iorio, S., Doga, M., Sorvillo, F., Manganella, G., Di Salle, F., Giustina, A. & Carella, C. Long-term effects of lanreotide SR and octreotide LAR on tumour shrinkage and GH hypersecretion in patients with previously untreated acromegaly: 65
Ames, R. *see* Wu, F.
Anapliotou, M. *see* Florakis, D.
Andersen, M. *see* Støving, R.K.
Andersen, M. *see* Vestergaard, P.
Antonio, C. *see* Giovanni, V.
Arianna, L.G. *see* Giovanni, V.
Arlt, W. Quality of life in Addison's disease – the case for DHEA replacement: 573
Armstrong, L. *see* Crown, A.L.
Arnaldi, G. *see* Pantanetti, P.
Arvat, E. *see* Aimaretti, G.
Arvat, E. *see* Di Vito, L.
Atkin, S.L. *see* Green, V.L.
Atkinson, A.B. *see* McConnell, E.M.
Attanasio, A.F., Howell, S., Bates, P.C., Blum, W.F., Frewer, P., Quigley, C. & Shalet, S.M. Confirmation of severe GH deficiency after final height in patients diagnosed as GH deficient during childhood: 503
Bacelar, M.C. *see* Cavaco, B.M.
Badenhoop, K. *see* Pani, M.A.
Baffoni, C. *see* Aimaretti, G.
Bailey Merz, C.N. *see* Hale, G.
Balercia, G. *see* Pantanetti, P.
Ball, S.G. *see* Adamson, K.A.
Barros, L. *see* Cavaco, B.M.
Bartalena, L., Bogazzi, F. & Martino, E. Amiodarone-induced thyrotoxicosis: a difficult diagnostic and therapeutic challenge: 23
Bartel, T. *see* Herrmann, B.L.
Basaria, S., Lieb II, J., Tang, A.M., De Weese, T., Carducci, M., Eisenberger, M. & Dobs, A.S. Long-term effects of androgen deprivation therapy in prostate cancer patients: 779
Basaria, S., Udelman, R., Tejedor-Sojo, J., Westra, W.H. & Krasner, A.S. Anaplastic pseudathyroiditis: 553
Batch, J.A. *see* Adamson, K.A.
Bates, P.C. *see* Attanasio, A.F.
Baumgartner-Parzer, S.M., Pauschenwein, S., Waldhäusl, W., Pötzler, K., Nowotny, P. & Vierhapper, H. Increased prevalence of heterozygous 21-OH germline mutations in patients with adrenal incidentalomas: 811
Baxter, R.C. *see* Van Den Berghe, G.
Beck-Peccoz, P. *see* Fugazzola, L.
Beentjes, J.A.M. *see* Oomen, P.H.N.
Bell, P.M. *see* McConnell, E.M.
Belli, S. *see* Dain, L.B.
Bennet, W.M. *see* Eaton, S.E.M.
Bennink, B.C.J.M. *see* Van Heusden, A.M.
Benso, A. *see* Di Vito, L.
Berglund, L. *see* Hagström, E.
Berkovitch, M. *see* Bistrizter, T.
Besser, G.M. *see* Parkinson, C.
van Beusekom, C. *see* van Wassenaer, A.G.
Bicknell, J. *see* Buch, H.
Bieda, K. *see* Pani, M.A.
Biermasz, N.R. *see* Roelfsema, F.
Biermasz, N.R., Smit, J.W.A., van Dulken, H. & Roelfsema, F. Postoperative persistent thyrotrophin releasing

- hormone-induced growth hormone release predicts recurrence in patients with acromegaly: 313
- Bistritzer, T., Kerem, E., Berkovitch, M., Rapoport, M.J., Evans, S. & Aladjem, M. Erythrocyte Na⁺, K⁺-ATPase and nasal potential in pseudohypoaldosteronism: 575
- Blum, W.F. *see* Attanasio, A.F.
- Boehmer, A. *see* Richter-Unruh, A.
- Boelaert, K. *see* Tannahil, L.A.
- Bogazzi, F. *see* Bartalena, L.
- Bökenkamp, A. *see* Woelfle, J.
- Bolt, R.J., van Weissenbruch, M.M., Cranendonk, A., Lafeber, H.N. & Delemarre-van De Waal, H.A. The corticotrophin-releasing hormone test in preterm infants: 207
- Bonkowski, J.A. *see* Espiner, E.A.
- Borsari, S. *see* Cetani, F.
- Bosma, E. *see* Oomen, P.H.N.
- Bouillon, R. *see* Van Den Berghe, G.
- Bowers, C.Y. *see* Van Den Berghe, G.
- Brämswig, J.H. *see* Woelfle, J.
- Brauner, R. *see* Adan, L.
- Brent Masters, I. *see* Ripa, P.
- Brixen, K. *see* Vestergaard, P.
- Broglio, F. *see* Aimaretti, G.
- Broglio, F. *see* Di Vito, L.
- Bruch, C. *see* Herrmann, B.L.
- Brück, W. *see* Florakis, D.
- Brunner, H.G. *see* Richter-Unruh, A.
- Buch, H., El-Hadd, T., Bicknell, J., Simpson, D.J., Farrell, W.E. & Clayton, R.N. Pituitary tumours are multiclonal from the outset: evidence from a case with dural metastases: 817
- Buchfelder, M. *see* Wrocklage, C.
- Bülow, B., Hagmar, L., Ørbæk, P., Österberg, K. & Erfurth, E. High incidence of mental disorders, reduced mental well-being and cognitive function in hypopituitary women with GH deficiency treated for pituitary disease: 183
- Burman, P. *see* Engström, B.E.
- Buzzalino, N.D. *see* Dain, L.B.
- Cardoso, H. *see* Cavaco, B.M.
- Carducci, M. *see* Basaria, S.
- Carella, C. *see* Amato, G.
- Carling, T. *see* Correa, P.
- Caron, J. *see* Hoizy, G.
- Casanueva, F.F. *see* Alvarez, P.
- Casanueva, F.F. *see* Di Vito, L.
- Casanueva, F.F. *see* Popovic, V.
- Cavaco, B.M., Domingues, R., Bacelar, M.C., Cardoso, H., Barros, L., Gomes, L., Ruas, M.M.A., Agapito, A., Garrão, A., Pannett, A.A.J., Silva, J.L., Sobrinho, L.G., Thakker, R.V. & Leite, V. Mutational analysis of Portuguese families with multiple endocrine neoplasia type 1 reveals large germline deletions: 465
- Cerutti, J.M. *see* Dias da Silva, M.R.
- Cerutti, N. *see* Fugazzola, L.
- Cetani, F., Pardi, E., Giovannetti, A., Vignali, E., Borsari, S., Golia, F., Cianferotti, L., Viacava, P., Miccoli, P., Gasperi, M., Pinchera, A. & Marcocci, C. Genetic analysis of the *MEN1* gene and *HPRT2* locus in two Italian kindreds with familial isolated hyperparathyroidism: 457
- Chan, N.N., Vallance, P., Colhoun, H.M., MacAllister, R.J., Hingorani, A.D. & Conway, G.S. The effects of hormone replacement therapy on endothelial function in women with Turner's syndrome: 615
- Charreau, E.H. *see* Dain, L.B.
- Chemaïtilly, W. *see* Adan, L.
- Cheng, P.S. *see* Yung, E.
- Cheung, N.W. *see* Wong, V.
- Christiansen, J.S. *see* Hansen, T.K.
- Chung, B.C. *see* Kim, M.K.
- Cianferotti, L. *see* Cetani, F.
- Clayton, R.N. *see* Buch, H.
- Clearwater, J. *see* Wu, F.
- Cockcroft, J.R. *see* Smith, J.C.
- Coelingh, H.J.T. *see* Van Heusden, A.M.
- Colao, A. *see* Di Somma, C.
- Colao, A., Ferone, D., Lombardi, G. & Lastoria, S. ^{99m}-Technetium pentavalent dimercaptosuccinic acid scintigraphy in the follow-up of clinically nonfunctioning pituitary adenomas after radiotherapy: 713
- Colhoun, H.M. *see* Chan, N.N.
- Compston, J.E. & Watts, N.B. Combination therapy for postmenopausal osteoporosis: 565
- Conceicao, F.L. *see* Vestergaard, P.
- Concepcion, E.S. *see* Villanueva, R.
- Conway, G.S. *see* Chan, N.N.
- Cordido, F. *see* Alvarez, P.
- Corneli, G. *see* Aimaretti, G.
- Correa, P., Juhlin, C., Rastad, J., Åkerström, G., Westin, G. & Carling, T. Allelic loss in clinically and screening-detected primary hyperparathyroidism: 113
- Cotterill, A. *see* Ripa, P.
- Cotterill, A.M. *see* Rowland, J.E.
- Cottle, K. *see* Crown, A.L.
- Cowley, D. *see* Ripa, P.
- Cranendonk, A. *see* Bolt, R.J.
- Crofton, P.M., Evans, A.E.M., Groome, N.P., Taylor, M.R.H., Holland, C.V. & Kelnar, C.J.H. Inhibin B in boys from birth to adulthood: relationship with age, pubertal stage, FSH and testosterone: 215
- Crofton, P.M., Evans, A.E.M., Groome, N.P., Taylor, M.R.H., Holland, C.V. & Kelnar, C.J.H. Dimeric inhibins in girls

- from birth to adulthood: relationship with age, pubertal stage, FSH and oestradiol: 223
- Cross, I. *see* Adamson, K.A.
- Crown, A.L., Cottle, K., Lightman, S.L., Falk, S., Mohamed-Ali, V., Armstrong, L., Millar, A.B. & Holly, J.M.P. What is the role of the insulin-like growth factor system in the pathophysiology of cancer cachexia, and how is it regulated?: 723
- Dain, L.B., Buzzalino, N.D., Oneto, A., Belli, S., Stivel, M., Pasqualini, T., Minutolo, C., Charreau, E.H. & Alba, L.G. Classical and nonclassical 21-hydroxylase deficiency: a molecular study of Argentine patients: 239
- Dall, R. *see* Hansen, T.K.
- Damjanovic, S. *see* Popovic, V.
- Darzy, K.H. *see* Murray, R.D.
- Davies, J.S. *see* Rees, D.A.
- Davies, J.S. *see* Smith, J.C.
- Davies, J.S. *see* Smith, J.C.
- Davies, T.F. *see* Villanueva, R.
- Deghenghi, R. *see* Aimaretti, G.
- Deghenghi, R. *see* Di Vito, L.
- Deiß, D. *see* Woelfle, J.
- Delemarre-van de Waal, H.A. *see* Bolt, R.J.
- Delemer, B. *see* Hoizey, G.
- DeSilva, S. *see* Misra, D.
- Devillier, P. *see* Hoizey, G.
- DeWeese, T. *see* Basaria, S.
- Di Salle, F. *see* Amato, G.
- Di Sarno, A. *see* Di Somma, C.
- Di Somma, C., Pivonello, R., Loche, S., Faggiano, A., Marzullo, P., Di Sarno, A., Klain, M., Salvatore, M., Lombardi, G. & Colao, A. Severe impairment of bone mass and turnover in Cushing's disease: comparison between childhood-onset and adulthood-onset disease: 153
- Di Vito, L., Broglia, F., Benso, A., Gottero, C., Prodam, F., Papotti, M., Muccioli, G., Dieguez, C., Casanueva, F.F., Deghenghi, R., Ghigo, E. & Arvat, E. The GH-releasing effect of ghrelin, a natural GH secretagogue, is only blunted by the infusion of exogenous somatostatin in humans: 643
- Dias da Silva, M.R., Cerutti, J.M., Tengan, C.H., Furuzawa, G.K., Vieira, T.C.A., Gaobai, A.A. & Maciel, R.M.B. Mutations linked to familial hypokalaemic periodic paralysis in the calcium channel $\alpha 1$ subunit gene ($\text{Cav}1\cdot1$) are not associated with thyrotoxic hypokalaemic periodic paralysis: 367
- Dickerman, Z. *see* Kauschansky, A.
- Dieguez, C. *see* Alvarez, P.
- Dieguez, C. *see* Di Vito, L.
- Dieguez, C. *see* Popovic, V.
- Dobs, A.S. *see* Basaria, S.
- Doga, M. *see* Amato, G.
- Domingues, R. *see* Cavaco, B.M.
- Donaldson, M.D.C. *see* Paterson, W.F.
- Donnelly, R. *see* Scott, A.
- Drake, W.M. *see* Parkinson, C.
- Drop, S.L.S. *see* Richter-Unruh, A.
- Drummond, N.S. *see* Green, V.L.
- Dudczak, R. *see* Zettinig, G.
- Dufour, D.R. *see* Misra, D.
- van Dulken, H. *see* Biermasz, N.R.
- Dullaart, R.P.F. *see* Oomen, P.H.N.
- Durán, A. *see* Gómez, J.M.
- Dwyer, J.H. *see* Hale, G.
- Dwyer, R.M. *see* Smyth, P.P.A.
- Eaton, S.E.M., Eunton, H.A., Newman, C.M., Weetman, A.P. & Bennet, W.M. Clinical experience of amiodarone-induced thyrotoxicosis over a 3-year period: role of colour-flow Doppler sonography: 33
- Eisenberger, M. *see* Basaria, S.
- El-Hadd, T. *see* Buch, H.
- Engström, B.E., Burman, P. & Karlsson, F.A. Men with acromegaly need higher doses of octreotide than women: 73
- Ennis, C. *see* McConnell, E.M.
- Erbel, S. *see* Herrmann, B.L.
- Erfurth, E. *see* Bülow, B.
- Escobar-Jiménez, F. *see* Gómez, J.M.
- Esler, M.D. *see* Komesaroff, P.A.
- Espadero, R.M. *see* Gómez, J.M.
- Espinier, E.A., Leikis, R., Ferch, R.D., MacFarlane, M.R., Bonkowski, J.A., Frampton, C.M. & Richards, A.M. The neuro-cardio-endocrine response to acute subarachnoid haemorrhage: 629
- Estilo, G. *see* Villanueva, R.
- Eunton, H.A. *see* Eaton, S.E.M.
- Evans, A.E.M. *see* Crofton, P.M.
- Evans, A.E.M. *see* Crofton, P.M.
- Evans, L.M. *see* Smith, J.C.
- Evans, L.M. *see* Smith, J.C.
- Evans, M.C. *see* Wu, F.
- Evans, S. *see* Bistritzer, T.
- Ezzat, S. *see* Thomas, S.G.
- Faggiano, A. *see* Di Somma, C.
- Fagin, J.A. *see* Ouyang, B.
- Fahlbusch, R. *see* Wrocklage, C.
- Faisal Ahmed, S. & Hughes, IEUAN A. The genetics of male undermasculinization: 1
- Falk, S. *see* Crown, A.L.
- Farnebo, F. *see* Villablanca, A.

- Farnebo, L.-O. *see* Villablanca, A.
 Farrell, W.E. *see* Buch, H.
 Faure, E. *see* Gómez, J.M.
 Fauser, B.C.J.M. *see* Van Heusden, A.M.
 Fellerman, H. *see* Misra, D.
 Ferch, R.D. *see* Espiner, E.A.
 Ferdin, S. *see* Herrmann, B.L.
 Ferone, D. *see* Colao, A.
 Fiad, T.M. *see* Suliman, A.M.
 Florakis, D., Kontogergos, G., Anapliotou, M., Mazarakis, N., Richter, E., Brück, W. & Piaditis, G. Isolated pituitary granuloma by atypical Mycobacterium in a nonimmunosuppressed woman: 123
 Flyvbjerg, A. *see* Støving, R.K.
 Fok, T.F. *see* Yung, E.
 Foy, P. *see* Li Voon Chong, J.S.W.
 Frampton, C.M. *see* Espiner, E.A.
 Frances, C. *see* Hoizley, G.
 Francesco, F. *see* Giovanni, V.
 Franklyn, J.A. *see* Tannahil, L.A.
 Fraser, W.D. *see* Ahmad, A.M.
 Frewer, P. *see* Attanasio, A.F.
 Frystyk, J. *see* Støving, R.K.
 Fu, A.X.-L. *see* Wong, V.
 Fueger, B.J. *see* Zettinig, G.
 Fugazzola, L., Cerutti, N., Mannavola, D., Ghilardi, G., Alberti, L., Romoli, R. & Beck-Peccoz, P. Multigenerational familial medullary thyroid cancer (FMTC): evidence for FMTC phenocopies and association with papillary thyroid cancer: 53
 Fuller, P.J. & Rogerson, F.M. Pseudohypoaldosteronism: kidney, lungs and colon: 571
 Fullerton, M. *see* Komesaroff, P.A.
 Furuzawa, G.K. *see* Dias da Silva, M.R.
 Gabbai, A.A. *see* Dias da Silva, M.R.
 Gamble, G. *see* Wu, F.
 Garrão, A. *see* Cavaco, B.M.
 Gasperi, M. *see* Cetani, F.
 George, J. *see* Wong, V.
 Ghigo, E. *see* Aimaretti, G.
 Ghigo, E. *see* Di Vito, L.
 Ghilardi, G. *see* Fugazzola, L.
 Giacchetti, G. *see* Pantanetti, P.
 Gilbey, S.G. *see* Scott, E.M.
 Giovannetti, A. *see* Cetani, F.
 Giovanni, L. *see* Giovanni, V.
 Giovanni, S. *see* Giovanni, V.
 Giovanni, V., Arianna, L.G., Antonio, C., Francesco, F., Michele, K., Giovanni, S., Marco, S. & Giovanni, L. The use of recombinant human TSH in the follow-up of differentiated thyroid cancer: experience from a large patient cohort in a single centre: 247
 Gittoes, N.J.L. *see* Tannahil, L.A.
 Giustina, A. *see* Amato, G.
 Glass, I.A. *see* Adamson, K.A.
 Gold, H. *see* Wrocklage, C.
 Golia, F. *see* Cetani, F.
 Gomes, L. *see* Cavaco, B.M.
 Gómez, J.M., Espadero, R.M., Escobar-Jiménez, F., Hawkins, F., Picó, A., Herrera-Pombo, J.L., Vilardell, E., Durán, A., Mesa, J., Faure, E. & Sanmartí, A. Growth hormone release after glucagon as a reliable test of growth hormone assessment in adults: 329
 Goodfellow, J. *see* Smith, J.C.
 Gottero, C. *see* Di Vito, L.
 Greb, R.R. *see* Kiesel, L.A.
 Green, V.L., Richmond, I., Maguiness, S., Robinson, J., Helboe, L., Adams, I.P., Drummond, N.S. & Atkin, S.L. Somatostatin receptor 2 expression in the human endometrium through the menstrual cycle: 609
 Greenberg, D.A. *see* Villanueva, R.
 Greenwood, J.P. *see* Scott, E.M.
 Groome, N.P. *see* Crofton, P.M.
 Groome, N.P. *see* Crofton, P.M.
 Groves, T. *see* Li Voon Chong, J.S.W.
 Grulet, H. *see* Hoizley, G.
 Hackl, W. *see* Wrocklage, C.
 Hadden, D.R. *see* McConnell, E.M.
 Hagen, C. *see* Støving, R.K.
 Hagen, C. *see* Vestergaard, P.
 Hagmar, L. *see* Bülow, B.
 Hagström, E., Lundgren, E., Lithell, H., Berglund, L., Ljunghall, S., Hellman, P. & Rastad, J. Normalized dyslipidaemia after parathyroidectomy in mild primary hyperparathyroidism: population-based study over five years: 253
 Hale, G., Paul-Labrador, M., Dwyer, J.H. & Bairey Merz, C.N. Isoflavone supplementation and endothelial function in menopausal women: 693
 Hamazu, M. *see* Ochi, Y.
 Hangaard, J. *see* Støving, R.K.
 Hanna, F.W.F. *see* Rees, D.A.
 Hansen, T.K., Dall, R., Hosoda, H., Kojima, M., Kangawa, K., Christiansen, J.S. & Jørgensen, J.O.L. Weight loss increases circulating levels of ghrelin in human obesity: 203
 Hara, T. *see* Kuromaru, R.
 Harmer, C. *see* Hyer, S.
 Harris, M. *see* Ripa, P.
 Hårvard Loge, J. *see* Løvås, K.

- Haugen, B.R., Woodmansee, W.W. & McDermott, M.T. Towards improving the utility of fine-needle aspiration biopsy for the diagnosis of thyroid tumours: 281
- Hawkins, F. *see* Gómez, J.M.
- Hayano, M. *see* Komiya, N.
- Heger, S. *see* Partsch, C.-J.
- Heidemann, P. *see* Woelfle, J.
- Helboe, L. *see* Green, V.L.
- Hellman, P. *see* Hagström, E.
- Herrera-Pombo, J.L. *see* Gómez, J.M.
- Herrmann, B.L., Bruch, C., Saller, B., Bartel, T., Ferdinand, S., Erbel, S. & Mann, K. Acromegaly: evidence for a direct relation between disease activity and cardiac dysfunction in patients without ventricular hypertrophy: 595
- van Heusden, A.M., Coelingh, H.J.T., Bennink, B.C.J.M. & Fauser, B.C.J.M. FSH and ovarian response: spontaneous recovery of pituitary–ovarian activity during the pill-free period vs. exogenous recombinant FSH during high-dose combined oral contraceptives: 509
- Hingorani, A.D. *see* Chan, N.N.
- Hinwood, D. *see* Scott, A.
- Ho, K.K.Y. *see* Leung, B.
- Ho, K.K.Y. *see* Rowland, J.E.
- Hocck, H.C. *see* Vestergaard, P.
- Hoepffner, W. *see* Woelfle, J.
- Hoizey, G., Lukas-Croisier, C., Frances, C., Grulet, H., Delemer, B., Millart, H., Devillier, P. & Caron, J. Study of diurnal fluctuations of plasma methoxyamines in healthy volunteers: 119
- Holland, C.V. *see* Crofton, P.M.
- Holland, C.V. *see* Crofton, P.M.
- Hollman, A.S. *see* Paterson, W.F.
- Holly, J.M.P. *see* Crown, A.L.
- Höög, A. *see* Villalba, A.
- Hoogerbrugge, C.M. *see* Kamp, G.A.
- Hopkins, M.T. *see* Ahmad, A.M.
- Hort, Y.J. *see* Leung, B.
- Hosoda, H. *see* Hansen, T.K.
- Howell, S. *see* Attanasio, A.F.
- Hüfner, M. *see* Nolte, W.
- Hughes, IEUAN A. *see* Faisal Ahmed, S.
- Huh, K.B. *see* Kim, M.K.
- Husebye, E.S. *see* Løvås, K.
- Husebye, E.S. *see* Løvås, K.
- Hyer, S., Vini, L., O'Connell, M., Pratt, B. & Harmer, C. Testicular dose and fertility in men following ^{131}I therapy for thyroid cancer: 755
- Iismaa, T.P. *see* Leung, B.
- Iorio, S. *see* Amato, G.
- Iranmanesh, A. *see* Van Den Berghe, G.
- Irle, U. *see* Woelfle, J.
- Isidro, L. *see* Alvarez, P.
- Isomoto, S. *see* Komiya, N.
- Janssen, J.A.M. *see* Aimaretti, G.
- Jennings, G. *see* Komesaroff, P.A.
- Johnston, D.G. *see* Lawrence, N.J.
- Jørgensen, J.O.L. *see* Hansen, T.K.
- Jørgensen, J.O.L. *see* Vestergaard, P.
- Juhlin, C. *see* Correa, P.
- Kachilele, S. *see* Tannahil, L.A.
- Kajita, Y. *see* Ochi, Y.
- Kamp, G.A., Ouwens, D.M., Hoogerbrugge, C.M., Zwinderman, A.H., Maassen, J.A. & Wit, J.M. Skin fibroblasts of children with idiopathic short stature show an increased mitogenic response to IGF-I and secrete more IGFBP-3: 439
- Kangawa, K. *see* Hansen, T.K.
- Karlsson, F.A. *see* Engström, B.E.
- Kaserer, K. *see* Zettinig, G.
- Kauschansky, A., Dickerman, Z., Phillip, M., Weintrob, N. & Strich, D. Use of GnRH hormone agonist and human chorionic gonadotrophin tests for differentiating constitutional delayed puberty from gonadotrophin deficiency in boys: 603
- Kelnar, C.J.H. & Stanhope, R. Height prognosis in girls with central precocious puberty treated with GnRH analogues: 295
- Kelnar, C.J.H. *see* Crofton, P.M.
- Kelnar, C.J.H. *see* Crofton, P.M.
- Kerem, E. *see* Bistrizter, T.
- Khosla, S. Oestrogen, bones and men: when testosterone just isn't enough: 291
- Kiesel, L.A., Rody, A., Greb, R.R. & Szilágyi, A. Clinical use of GnRH analogues: 677
- Kim, M.K., Chung, B.C., Yu, V.Y., Nam, J.H., Lee, H.C., Huh, K.B. & Lim, S.K. Relationships of urinary phyto-oestrogen excretion to BMD in postmenopausal women: 321
- Klain, M. *see* Di Somma, C.
- Knauf, J.A. *see* Ouyang, B.
- Knie, U. *see* Rolf, C.
- Kohno, H. *see* Kuromaru, R.
- Kojima, M. *see* Hansen, T.K.
- Koldkær, O.G. *see* Støving, R.K.
- Komesaroff, P.A., Fullerton, M., Esler, M.D., Jennings, G. & Sudhir, K. Oestrogen supplementation attenuates responses to psychological stress in elderly men rendered hypogonadal after treatment for prostate cancer: 745
- Komiya, N., Isomoto, S., Nakao, K., Hayano, M. & Yano, K. Electrophysiological abnormalities of the atrial muscle in

- patients with paroxysmal atrial fibrillation associated with hyperthyroidism: 39
- Kontogeorgos, G. *see* Florakis, D.
- Kors, W.A. *see* Richter-Unruh, A.
- Kousta, E. *see* Lawrence, N.J.
- Krasner, A.S. *see* Basaria, S.
- Krassas, G.E. *see* Perros, P.
- Krause, M. *see* Pani, M.A.
- Kubini, K. *see* Woelfle, J.
- Kuromaru, R., Kohno, H. & Hara, T. Changes in adiposity and excess body weight correlate with growth responses but not with decreases in low-density lipoprotein cholesterol levels during GH treatment in GH-deficient children: 799
- Labib, M. *see* Suliman, A.M.
- Lafeber, H.N. *see* Bolt, R.J.
- Lam, K.-Y. & Lo, C.-Y. Metastatic tumours of the adrenal glands: a 30-year experience in a teaching hospital: 95
- Lang, D. *see* Smith, J.C.
- Larsson, C. *see* Villablanca, A.
- Lastoria, S. *see* Colao, A.
- Laurberg, P. *see* Vestergaard, P.
- Lawrence, N.J., Kousta, E., Penny, A., Millauer, B., Robinson, S., Johnston, D.G. & McCarthy, M.I. Elevation of soluble E-selectin levels following gestational diabetes is restricted to women with persistent abnormalities of glucose regulation: 335
- Leal-Cerro, A. *see* Alvarez, P.
- Lee, H.C. *see* Kim, M.K.
- Leikis, R. *see* Espiner, E.A.
- Leite, V. *see* Cavaco, B.M.
- van der Lely, A.J. *see* Aimaretti, G.
- Lemmnitz, G. *see* Rolf, C.
- Leung, B., Iismaa, T.P., Leung, K.-C., Hort, Y.J., Turner, J., Sheehy, J.P. & Ho, K.K.Y. Galanin in human pituitary adenomas: frequency and clinical significance: 397
- Leung, K.-C. *see* Leung, B.
- Leung, K.-C. *see* Rowland, J.E.
- Li Voon Chong, J.S.W., Groves, T., Foy, P., Wallymahmed, M.E. & MacFarlane, I.A. Elderly people with hypothalamic-pituitary disease and untreated GH deficiency: clinical outcome, body composition, lipid profiles and quality of life after 2 years compared to controls: 175
- Lieb Ii, J. *see* Basaria, S.
- Lightman, S.L. *see* Crown, A.L.
- Lim, S.K. *see* Kim, M.K.
- Lissett, C.A. *see* Murray, R.D.
- Lithell, H. *see* Hagström, E.
- Ljunghall, S. *see* Hagström, E.
- Lo, C.-Y. *see* Lam, K.-Y.
- Loche, S. *see* Di Somma, C.
- Lombardi, G. *see* Colao, A.
- Lombardi, G. *see* Di Somma, C.
- Løvås, K. & Husebye, E.S. High prevalence and increasing incidence of Addison's disease in western Norway: 787
- Løvås, K., Hårvard Loge, J. & Husebye, E.S. Subjective health status in Norwegian patients with Addison's disease: 581
- Lukas-Croisier, C. *see* Hoizley, G.
- Lundgren, E. *see* Hagström, E.
- Maassen, J.A. *see* Kamp, G.A.
- MacAllister, R.J. *see* Chan, N.N.
- MacFarlane, I.A. *see* Li Voon Chong, J.S.W.
- MacFarlane, M.R. *see* Espiner, E.A.
- McCabe, C.J. *see* Tannahil, L.A.
- McCance, D.R. *see* McConnell, E.M.
- McCarthy, M.I. *see* Lawrence, N.J.
- McConnell, E.M., Bell, P.M., Ennis, C., Hadden, D.R., McCance, D.R., Sheridan, B. & Atkinson, A.B. Effects of low-dose oral hydrocortisone replacement versus short-term reproduction of physiological serum cortisol concentrations on insulin action in adult-onset hypopituitarism: 195
- McDermott, M.T. *see* Haugen, B.R.
- McEneny, J. *see* Smith, J.C.
- McKenna, T.J. *see* Suliman, A.M.
- Maciel, R.M.B. *see* Dias da Silva, M.R.
- Maguiness, S. *see* Green, V.L.
- Manganella, G. *see* Amato, G.
- Mann, K. *see* Herrmann, B.L.
- Mannavola, D. *see* Fugazzola, L.
- Mantero, F. *see* Pantanetti, P.
- Mao, C. *see* Villanueva, R.
- Marco, S. *see* Giovanni, V.
- Marcocci, C. *see* Cetani, F.
- Marshall, N.J. *see* Rowland, J.E.
- Martens, J.W.M. *see* Richter-Unruh, A.
- Martino, E. *see* Bartalena, L.
- Mary, D.A.S.G. *see* Scott, E.M.
- Marzullo, P. *see* Di Somma, C.
- Matson, M.B. & Reznek, R.H. Assessment of selective arterial calcium stimulating and hepatic venous sampling to localize insulin-secreting tumours: 149
- Mazarakis, N. *see* Florakis, D.
- Mazzotti, G. *see* Amato, G.
- Mesa, J. *see* Gómez, J.M.
- Miccoli, P. *see* Cetani, F.
- Michele, K. *see* Giovanni, V.
- Micic, D. *see* Popovic, V.
- Millar, A.B. *see* Crown, A.L.
- Millart, H. *see* Hoizley, G.
- Millauer, B. *see* Lawrence, N.J.

- Mills, R.G. *see* Rees, D.A.
 Minutolo, C. *see* Dain, L.B.
 Misra, D., DeSilva, S., Fellerman, H., Dufour, D.R., Streeten, D.H.P. & Nylen, E.S. Hyperkalaemia and selective hypoaldosteronism in myotonic dystrophy: 271
 Mohamed-Ali, V. *see* Crown, A.L.
 Mosekilde, L. *see* Vestergaard, P.
 Muccioli, G. *see* Di Vito, L.
 Murray, R.D., Adams, J.E., Smethurst, L.E. & Shalet, S.M. Spinal irradiation impairs the osteo-anabolic effects of low-dose GH replacement in adults with childhood-onset GH deficiency: 169
 Murray, R.D., Wieringa, G.E., Lissett, C.A., Darzy, K.H., Smethurst, L.E. & Shalet, S.M. Low-dose GH replacement improves the adverse lipid profile associated with the adult GH deficiency syndrome: 525
 Nacev, B. *see* Ouyang, B.
 Nagata, A. *see* Ochi, Y.
 Nakao, K. *see* Komiya, N.
 Nam, J.H. *see* Kim, M.K.
 Newell-Price, J. Transsphenoidal surgery for Cushing's disease: defining cure and following outcome: 19
 Newman, C.M. *see* Eaton, S.E.M.
 Niederle, B. *see* Zettning, G.
 Nielsen, T.L. *see* Vestergaard, P.
 Nieschlag, E. *see* Rolf, C.
 Nolte, W., Rädisch, C., Rodenbeck, A., Wiltfang, J. & Hüfner, M. Polysomnographic findings in five adult patients with pituitary insufficiency before and after cessation of human growth hormone replacement therapy: 805
 Nowotny, P. *see* Baumgartner-Parzer, S.M.
 Nylen, E.S. *see* Misra, D.
 O'Connell, M. *see* Hyer, S.
 Ochi, Y., Hamazu, M., Kajita, Y. & Nagata, A. Demonstration of anti-TSH antibody in TSH binding inhibitory immunoglobulin-positive sera of patients with Graves' disease: 405
 Olsson, T. Hyperkalaemia and selective hypoaldosteronism in myotonic dystrophy: 151
 Oneto, A. *see* Dain, L.B.
 Oomen, P.H.N., Beentjes, J.A.M., Bosma, E., Smit, A.J., Reitsma, W.D. & Dullaart, R.P.F. Reduced capillary permeability and capillary density in the skin of GH deficient adults: improvement after 12 months GH replacement: 519
 Ørbæk, P. *see* Bülow, B.
 Österberg, K. *see* Bülow, B.
 Ouwens, D.M. *see* Kamp, G.A.
 Ouyang, B., Knauf, J.A., Ain, K., Nacev, B. & Fagin, J.A. Mechanisms of aneuploidy in thyroid cancer cell lines and tissues: evidence for mitotic checkpoint dysfunction without mutations in *BUB1* and *BUBR1*: 341
 Pagura, S.M. *see* Thomas, S.G.
 Pani, M.A., Seidl, C., Bieda, K., Scissler, J., Krause, M., Seifried, E., Usadel, K.-H. & Badenhoop, K. Preliminary evidence that an endogenous retroviral long-terminal repeat (LTR13) at the HLA-DQB1 gene locus confers susceptibility to Addison's disease: 773
 Pannett, A.A.J. *see* Cavaco, B.M.
 Pantanetti, P., Arnaldi, G., Balercia, G., Mantero, F. & Giacchetti, G. Severe hypomagnesaemia-induced hypocalcaemia in a patient with Gitelman's syndrome: 413
 Papotti, M. *see* Di Vito, L.
 Pardi, E. *see* Cetani, F.
 Parkinson, C., Drake, W.M., Wieringa, G., Yates, A.P., Besser, G.M. & Trainer, P.J. Serum lipoprotein changes following IGF-I normalization using a growth hormone receptor antagonist in acromegaly: 303
 Partsch, C.-J., Heger, S. & Sippell, W.G. Management and outcome of central precocious puberty: 129
 Pasqualini, T. *see* Dain, L.B.
 Passler, C. *see* Zettning, G.
 Paterson, W.F., Hollman, A.S. & Donaldson, M.D.C. Poor uterine development in Turner Syndrome with oral oestrogen therapy: 359
 Paul-Labrador, M. *see* Hale, G.
 Paulus, W. *see* Wrocklage, C.
 Pauschenwein, S. *see* Baumgartner-Parzer, S.M.
 Pekic, S. *see* Popovic, V.
 Penny, A. *see* Lawrence, N.J.
 Perros, P. & Krassas, G.E. Orbital irradiation for thyroid-associated orbitopathy: conventional dose, low dose or no dose?: 689
 Phillip, M. *see* Kauschansky, A.
 Piaditis, G. *see* Florakis, D.
 Picó, A. *see* Gómez, J.M.
 Pinchera, A. *see* Cetani, F.
 Pirich, C. *see* Zettning, G.
 Pivonello, R. *see* Di Somma, C.
 Pötzler, K. *see* Baumgartner-Parzer, S.M.
 Popovic, V., Pekic, S., Simic, M., Damjanovic, S., Micic, D., Dieguez, C. & Casanueva, F.F. Physical activity or food intake prior to testing did not affect the reproducibility of GH secretion elicited by GH releasing hormone plus GH-releasing hexapeptide in normal adult subjects: 89
 Pratt, B. *see* Hyer, S.
 Prodam, F. *see* Di Vito, L.
 Quigley, C. *see* Attanasio, A.F.
 Rädisch, C. *see* Nolte, W.
 de Randamie, J.S.E. *see* van Wassenaer, A.G.

- Rapoport, M.J. *see* Bistritzer, T.
- Rappold, G.A. *see* Adamson, K.A.
- Rastad, J. *see* Correa, P.
- Rastad, J. *see* Hagström, E.
- Rees, D.A., Hanna, F.W.F., Davies, J.S., Mills, R.G., Vafidis, J. & Scanlon, M.F. Long-term follow-up results of transsphenoidal surgery for Cushing's disease in a single centre using strict criteria for remission: 541
- Reid, I.R. *see* Wu, F.
- Reitsma, W.D. *see* Oomen, P.H.N.
- Rejnmark, L. *see* Vestergaard, P.
- Reznek, R.H. *see* Matson, M.B.
- Richards, A.M. *see* Espiner, E.A.
- Richmond, I. *see* Green, V.L.
- Richter, E. *see* Florakis, D.
- Richter-Unruh, A., Martens, J.W.M., Verhoef-Post, M., Wessels, H.T., Kors, W.A., Sinnecker, G.H.G., Boehmer, A., Drop, S.L.S., Toledo, S.P.A., Brunner, H.G. & Themmen, A.P.N. Leydig cell hypoplasia: cases with new mutations, new polymorphisms and cases without mutations in the luteinizing hormone receptor gene: 103
- Ripa, P., Robertson, I., Cowley, D., Harris, M., Brent Masters, I. & Cotterill, A. The relationship between insulin secretion, the insulin-like growth factor axis and growth in children with cystic fibrosis: 383
- Robertson, I. *see* Ripa, P.
- Robinson, J. *see* Green, V.L.
- Robinson, S. *see* Lawrence, N.J.
- Rodenbeck, A. *see* Nolte, W.
- Rody, A. *see* Kiesel, L.A.
- Roelfsema, F. *see* Biermasz, N.R.
- Roelfsema, F., Biermasz, N.R. & Veldhuis, J.D. Pulsatile, nyctohemeral and entropic characteristics of GH secretion in adult GH-deficient patients: selectively decreased pulsatile release and increased secretory disorderliness with preservation of diurnal timing and gender distinctions: 79
- Rogerson, F.M. *see* Fuller, P.J.
- Rolf, C., Knie, U., Lemnitz, G. & Nieschlag, E. Interpersonal testosterone transfer after topical application of a newly developed testosterone gel preparation: 637
- Romoli, R. *see* Fugazzola, L.
- Roth, C. *see* Woelfle, J.
- Rotondi, M. *see* Amato, G.
- Rowland, J.E., Marshall, N.J., Leung, K.-C., Ho, K.K.Y., Cotterill, A.M., Rowlinson, S.W. & Waters, M.J. A novel bioassay for human somatogenic activity in serum samples supports the clinical reliability of immunoassays: 475
- Rowlinson, S.W. *see* Rowland, J.E.
- Ruas, M.M.A. *see* Cavaco, B.M.
- Saller, B. *see* Herrmann, B.L.
- Salvatore, M. *see* Di Somma, C.
- Sanmarti, A. *see* Gómez, J.M.
- Scanlon, M.F. *see* Rees, D.A.
- Scanlon, M.F. *see* Smith, J.C.
- Scanlon, M.F. *see* Smith, J.C.
- Scott, A., Hinwood, D. & Donnelly, R. Radio-frequency ablation for symptom control in a patient with metastatic pancreatic insulinoma: 557
- Scott, E.M., Greenwood, J.P., Stoker, J.B., Mary, D.A.S.G. & Gilbey, S.G. Sympathetic nerve hyperactivity is associated with increased peripheral vascular resistance in hypopituitary patients with growth hormone deficiency: 759
- Seidl, C. *see* Pani, M.A.
- Seifried, E. *see* Pani, M.A.
- Seissler, J. *see* Pani, M.A.
- Shalet, S.M. *see* Attanasio, A.F.
- Shalet, S.M. *see* Murray, R.D.
- Shalet, S.M. *see* Murray, R.D.
- Sheehy, J.P. *see* Leung, B.
- Sheppard, M.C. *see* Tannahil, L.A.
- Sheridan, B. *see* McConnell, E.M.
- Silva, J.L. *see* Cavaco, B.M.
- Simic, M. *see* Popovic, V.
- Simpson, D.J. *see* Buch, H.
- Sinnecker, G.H.G. *see* Richter-Unruh, A.
- Sippell, W.G. *see* Partsch, C.-J.
- Sippell, W.G. *see* Woelfle, J.
- Smethurst, L.E. *see* Murray, R.D.
- Smethurst, L.E. *see* Murray, R.D.
- Smit, A.J. *see* Oomen, P.H.N.
- Smit, J.W.A. *see* Biermasz, N.R.
- Smith, J.C., Evans, L.M., Wilkinson, I., Goodfellow, J., Cockcroft, J.R., Scanlon, M.F. & Davies, J.S. Effects of GH replacement on endothelial function and large-artery stiffness in GH deficient adults: a randomized, double-blind, placebo-controlled study: 493
- Smith, J.C., Lang, D., McEneny, J., Evans, L.M., Scanlon, M.F., Young, I. & Davies, J.S. Effects of GH on lipid peroxidation and neutrophil superoxide anion-generating capacity in hypopituitary adults with GH deficiency: 449
- Smith, T.P. *see* Suliman, A.M.
- Smyth, P.P.A. & Dwyer, R.M. The sodium iodide symporter and thyroid disease: 427
- Sobrinho, L.G. *see* Cavaco, B.M.
- Sorvillo, F. *see* Amato, G.
- Stalpers, C.R. *see* Van Wassenaer, A.G.
- Stanhope, R. *see* Kelnar, C.J.H.
- Stivel, M. *see* Dain, L.B.
- Stoker, J.B. *see* Scott, E.M.
- Støving, R.K., Andersen, M., Flyvbjerg, A., Frystyk, J., Hangaard, J., Vinten, J., Koldkjær, O.G. & Hagen, C.

- Indirect evidence for decreased hypothalamic somatostatinergic tone in anorexia nervosa: 391
- Streeten, D.H.P. *see* Misra, D.
- Strich, D. *see* Kauschansky, A.
- Stulp, M.R. *see* van Wassenaer, A.G.
- Sudhir, K. *see* Komesaroff, P.A.
- Suliman, A.M., Smith, T.P., Labib, M., Fiad, T.M. & McKenna, T.J. The low-dose ACTH test does not provide a useful assessment of hypothalamic-pituitary-adrenal axis in secondary adrenal insufficiency: 533
- Szilágyi, A. *see* Kiesel, L.A.
- Tamminga, P. *see* van Wassenaer, A.G.
- Tang, A.M. *see* Basaria, S.
- Tannahil, L.A., Visser, T.J., McCabe, C.J., Kachilele, S., Boelaert, K., Sheppard, M.C., Franklyn, J.A. & Gittoes, N.J.L. Dysregulation of iodothyronine deiodinase enzyme expression and function in human pituitary tumours: 735
- Taylor, M.R.H. *see* Crofton, P.M.
- Taylor, M.R.H. *see* Crofton, P.M.
- Teh, B.T. *see* Villablanca, A.
- Tejedor-Sojo, J. *see* Basaria, S.
- Tengan, C.H. *see* Dias da Silva, M.R.
- Thakker, R.V. *see* Cavaco, B.M.
- Themmen, A.P.N. *see* Richter-Unruh, A.
- Thomas, S.G., Woodhouse, L.J., Pagura, S.M. & Ezzat, S. Ventilation threshold as a measure of impaired physical performance in adults with growth hormone excess: 351
- Toledo, S.P.A. *see* Richter-Unruh, A.
- Tomer, Y. *see* Villanueva, R.
- Trainer, P.J. A giant's step forward: 423
- Trainer, P.J. *see* Parkinson, C.
- Trivin, C. *see* Adan, L.
- Tucci, S. *see* Villanueva, R.
- Turner, H.E. *see* Yap, L.B.
- Turner, J. *see* Leung, B.
- Udelsman, R. *see* Basaria, S.
- Usadel, K.-H. *see* Pani, M.A.
- Vafidis, J. *see* Rees, D.A.
- Valianpour, F. *see* van Wassenaer, A.G.
- Vallance, P. *see* Chan, N.N.
- Van Den Berghe, G., Baxter, R.C., Weekers, F., Wouters, P., Bowers, C.Y., Irammanesh, A., Veldhuis, J.D. & Bouillon, R. The combined Administration of GH-releasing peptide-2 (GHRP-2), TRH and GnRH to men with prolonged critical illness evokes superior endocrine and metabolic effects than treatment with GHRP-2 alone: 655
- Veldhuis, J.D. *see* Roelfsema, F.
- Veldhuis, J.D. *see* Van Den Berghe, G.
- Verhoef-Post, M. *see* Richter-Unruh, A.
- Vestergaard, P., Jørgensen, J.O.L., Hagen, C., Hoeck, H.C., Laurberg, P., Rejnmark, L., Brixen, K., Weeke, J., Andersen, M., Conceicao, F.L., Nielsen, T.L. & Mosekilde, L. Fracture risk is increased in patients with GH deficiency or untreated prolactinomas – a case-control study: 159
- Viacava, P. *see* Cetani, F.
- Vieira, T.C.A. *see* Dias da Silva, M.R.
- Vierhapper, H. *see* Baumgartner-Parzer, S.M.
- Vignali, E. *see* Cetani, F.
- de Vijlder, J.J.M. *see* van Wassenaer, A.G.
- Vilarpell, E. *see* Gómez, J.M.
- Villablanca, A., Farnebo, F., Teh, B.T., Farnebo, L.-O., Höög, A. & Larsson, C. Genetic and clinical characterisation of sporadic cystic parathyroid tumours: 261
- Villanueva, R., Tomer, Y., Greenberg, D.A., Mao, C., Concepcion, E.S., Tucci, S., Estilo, G. & Davies, T.F. Autoimmune thyroid disease susceptibility loci in a large Chinese family: 45
- Vini, L. *see* Hyer, S.
- Vinten, J. *see* Støving, R.K.
- Visser, T.J. *see* Tannahil, L.A.
- Vora, J.P. *see* Ahmad, A.M.
- Waldhäusl, W. *see* Baumgartner-Parzer, S.M.
- Wallymahmed, M.E. *see* Li Voon Chong, J.S.W.
- Wass, J.A.H. *see* Yap, L.B.
- van Wassenaer, A.G., Stulp, M.R., Valianpour, F., Tamminga, P., Stalpers, C.R., de Randamie, J.S.E., van Beusekom, C. & de Vijlder, J.J.M. The quantity of thyroid hormone in human milk is too low to influence plasma thyroid hormone levels in the very preterm infant: 621
- Waters, M.J. *see* Rowland, J.E.
- Watts, N.B. *see* Compston, J.E.
- Weeke, J. *see* Vestergaard, P.
- Weekers, F. *see* Van Den Berghe, G.
- Weetman, A.P. *see* Eaton, S.E.M.
- Weintrob, N. *see* Kauschansky, A.
- van Weissenbruch, M.M. *see* Bolt, R.J.
- Wessels, H.T. *see* Richter-Unruh, A.
- Westin, G. *see* Correa, P.
- Weston, P.J. *see* Ahmad, A.M.
- Westra, W.H. *see* Basaria, S.
- Wieringa, G. *see* Parkinson, C.
- Wieringa, G.E. *see* Murray, R.D.
- Wilkinson, I. *see* Smith, J.C.
- Wiltfang, J. *see* Nolte, W.
- Wit, J.M. *see* Kamp, G.A.

- Woelfle, J., Hoepffner, W., Sippell, W.G., Brämswig, J.H., Heidemann, P., Deiß, D., Bökenkamp, A., Roth, C., Irle, U., Wollmann, H.A., Zachmann, M., Kubini, K. & Albers, N. Complete virilization in congenital adrenal hyperplasia: clinical course, medical management and disease-related complications: 231
- Wollmann, H.A. *see* Woelfle, J.
- Wong, G.W.K. *see* Yung, E.
- Wong, V., Fu, A.X.-L., George, J. & Cheung, N.W. Thyrotoxicosis induced by alpha-interferon therapy in chronic viral hepatitis: 793
- Woodhouse, L.J. *see* Thomas, S.G.
- Woodmansee, W.W. *see* Haugen, B.R.
- Wouters, P. *see* Van Den Berghe, G.
- Wrocklage, C., Gold, H., Hackl, W., Buchfelder, M., Fahlbusch, R. & Paulus, W. Increased menin expression in sporadic pituitary adenomas: 589
- Wu, F., Ames, R., Clearwater, J., Evans, M.C., Gamble, G. & Reid, I.R. Prospective 10-year study of the determinants of bone density and bone loss in normal postmenopausal women, including the effect of hormone replacement therapy: 703
- Yano, K. *see* Komiya, N.
- Yap, L.B., Turner, H.E., Adams, C.B.T. & Wass, J.A.H. Undetectable postoperative cortisol does not always predict long-term remission in Cushing's disease: a single centre audit: 25
- Yates, A.P. *see* Parkinson, C.
- Young, I. *see* Smith, J.C.
- Yu, V.Y. *see* Kim, M.K.
- Yung, E., Cheng, P.S., Fok, T.F. & Wong, G.W.K. CTLA-4 gene A–G polymorphism and childhood Graves' disease: 649
- Zachmann, M. *see* Woelfle, J.
- Zettinig, G., Fueger, B.J., Passler, C., Kaserer, K., Pirich, C., Dudczak, R. & Niederle, B. Long-term follow-up of patients with bone metastases from differentiated thyroid carcinoma – surgery or conventional therapy?: 377
- Zwinderman, A.H. *see* Kamp, G.A.

Subject Index to Volume 56

- Acromegaly**
cardiac dysfunction and 595
octreotide doses and gender 73
pegvisomant, therapeutic implications (Commentary) 423
pegvisomant therapy and lipid changes 303
physical function and fatigue 351
therapeutic options (Commentary) 423
TRH test and recurrence risk 313
untreated, and somatostatin analogues 65
- ACTH**
tests, and secondary adrenal insufficiency 533
- Addison's disease**
DQ-LTR13 and susceptibility 773
prevalence and incidence 787
subjective health status 581 (Commentary) 573
- Adenectomy, transphenoidal selective (TSA)**
surgical outcome for Cushing's disease 541
- Adiposity**
metabolic effects of GH and growth promotion 799
- Adrenal incidentalomas**
21-hydroxylase deficiency and 811
- Adrenal insufficiency, secondary**
low-dose ACTH test and HPA axis 533
- Adrenal metastases**
clinical and pathological impact 95
- Alendronate**
combination therapy for osteoporosis (Review) 565
- Amiodarone-induced thyrotoxicosis**
role of colour-flow Doppler sonography 33
- Anabolic agents**
combination therapy for osteoporosis (Review) 565
- Anaplastic pseudothyroiditis (Case report)** 553
- Androgens**
deprivation therapy and prostate cancer 779
substitution, interpersonal transfer of topical preparation 637
- Anorexia nervosa**
somatostatinergic tone in 391
- Antiresorptive agents**
combination therapy for osteoporosis (Review) 565
- Arterial stiffness**
in adult GHD 493
- Arterial stimulation**
localization of insulinomas (Commentary) 149
- Atrial fibrillation**
associated with hyperthyroidism 39
- Atrial natriuretic peptide (ANP)**
response to subarachnoid haemorrhage 629
- Autoimmune thyroid disease**
susceptibility loci 45
- Bioassay**
serum hGH somatogenic activity 475
- Bisphosphonates**
combination therapy for osteoporosis (Review) 565
- Blood pressure**
circadian rhythms and GH replacement in GHD 431
- Body composition**
androgen deprivation therapy and prostate cancer 779
effects of GH and growth promotion in children 799
elderly people with GHD 175
- Bone**
BMD and phyto-oestrogens 321
BMD in postmenopausal women 703
BMD, spinal irradiation and GH therapy in GHD 169
combination therapy for osteoporosis (Review) 565
fracture risk in pituitary disease 159
mass and turnover in Cushing's disease 153
metabolism in men, and oestrogen (Commentary) 291
metastases, from differentiated thyroid carcinoma 377
- Brain natriuretic peptide (BNP)**
response to subarachnoid haemorrhage 629
- Breast cancer**
clinical use of GnRH analogues (Review) 677
- Breast-feeding**
thyroid hormone levels 621
- Cachexia, cancer**
role of IGF system 723
- CAH**
adrenal incidentalomas and 21-hydroxylase deficiency 811
complete virilization in 231
- Calcitonin**
combination therapy for osteoporosis (Review) 565
- Calcium channel mutations and polymorphisms** 367
- Cancer** see Cachexia, Metastases, specific malignancies
- Capillaries**
permeability and density in GHD 519
- Cardiac dysfunction**
in acromegaly 595
- Cardiac hormones**
response to subarachnoid haemorrhage 629
- Cardiovascular disease**
vasoregulation in GHD 759

- Cell lines, thyroid cancer 341
- Chemotherapy
ovarian protection and GnRH analogues (Review) 677
- Children
bone mass and turnover in Cushing's disease 153
CRH test in preterm infants 207
CTLA-4 gene and Graves' disease 649
height prognosis, central precocious puberty 297
(Commentary) 295
idiopathic short stature and IGF-I responsiveness 439
inhibin B in boys 215
inhibins A and B in girls 223
insulin, IGF axis and growth in cystic fibrosis 383
metabolic effects of GH and growth promotion 799
preterm infants, and thyroid hormones in milk 621
spinal irradiation and BMD in GHD 169
- Chinese population
autoimmune thyroid disease susceptibility loci 45
- Cognitive function
in hypopituitary women 183
- Contraception see Oral contraception
- Cortisol
postoperative, and Cushing's disease 25 (Commentary) 19
- CRH test
in preterm infants 207
- Critical illness
combined releasing factor therapy in men 655
- Cushing's disease/syndrome
bone mass and turnover in 153
galanin in pituitary adenomas 397
petrosal sinus sampling and PTHrP (Letter) 419
postoperative cortisol, and outcome 25 (Commentary) 19
results of transphenoidal surgery 541
- Cystic fibrosis
insulin, IGF axis and growth 383
- Cystic parathyroid tumours
characterization 261
- Deiodinase enzymes
in pituitary tumours 735
- DHEA
replacement, in Addison's disease (Commentary) 573, 581
- Diabetes
gestational, and soluble E-selectin levels 335
- Doppler sonography, colour flow 33
- Dyslipidaemia
after parathyroidectomy 253
- Elderly patients
GHD with hypothalamic-pituitary disease 175
hypogonadal men, oestrogen and stress 745
- Electrolytes
in pseudohypoaldosteronism (Commentary) 571, 575
- Electrophysiology
atrial fibrillation and hyperthyroidism 39
- Endometrial cancer
clinical use of GnRH analogues (Review) 677
- Endometriosis
clinical use of GnRH analogues (Review) 677
- Endometrium
somatostatin receptor 2 expression 609
- Endothelial function
in adult GHD 493
effect of isoflavones in menopausal women 693
effects of HRT in Turner syndrome 615
- Erythrocytes
 Na^+ , K^+ -ATPase and nasal potential in
pseudohypoaldosteronism (Commentary) 571, 575
- E-selectin
soluble, and gestational diabetes 335
- Exercise
effects on GHRH plus GHRP-6 test 89
- Fatigue
in Addison's disease (Commentary) 573, 581
GH excess and physical function 351
- Fertility
after radioiodine therapy in men 755
IVF and GnRH analogues (Review) 677
- Fine-needle aspiration biopsy (FNAB)
diagnosis of thyroid tumours (Review) 281
- Food intake
effects on GHRH plus GHRP-6 test 89
- Fracture risk
in pituitary disease 159
postmenopausal osteoporosis (Review) 565
- FSH
activity, and combined oral contraceptives 509
influence of inhibin B in boys 215
influence of inhibins A and B in girls 223
- Galanin
in pituitary adenomas 397
- Gender
complete virilization in CAH 231
dose response to octreotide in acromegaly 73
- Genetics
21-hydroxylase deficiency and adrenal
incidentomas 811
analysis of familial isolated hyperparathyroidism 457
analysis of pituitary metastases (Case report) 817
aneuploidy in thyroid cancer cell lines and tissues 341

- Argentine 21-hydroxylase deficiency genotypes 239
 autoimmune thyroid disease susceptibility loci 45
 Ca^+ channel mutations and polymorphisms in hypokalaemic periodic paralysis 367
 characterization of cystic parathyroid tumours 261
 CTLA-4 gene and childhood Graves' disease 649
 DQ-LTR13 and susceptibility to Addison's disease 773
 familial medullary thyroid carcinoma (Letter) 823
 FMTC phenocopies and papillary thyroid cancer 53
 LH receptor gene mutations in Leydig cell hypoplasia 103
 male undermasculinization (Review) 1
 MEN1, large germline deletions of *MEN1* gene 465
 menin expression in pituitary adenomas 589
 primary hyperparathyroidism and loss of heterozygosity 113
 renal and systemic pseudohypoaldosteronism (Commentary) 571, 575
SHOX expression and stature (Case report) 671
 sodium iodide symporter (NIS) and thyroid disease (Commentary) 427
 somatostatin receptor 2 expression in endometrium 609
- GH**
 assessment in adults after glucagon 329
 characteristics of secretion in GHD adults 79
 effects of food and exercise on GHRH + GHRP-6 test 89
 effects of interaction of ghrelin and somatostatin 643
 effects of somatostatin analogues in untreated acromegaly 65
 excess, and physical function 351
 gender and dose response to octreotide in acromegaly 73
 metabolic effects in GH-deficient children 799
 postoperative TRH test and acromegaly 313
 replacement, and capillary permeability and density 519
 replacement, and circadian blood pressure rhythms 431
 replacement, effects on sleep 805
 replacement, endothelial function and arterial stiffness 493
 replacement, and lipid profile 525
 serum bioassay 475
 in somatostatin withdrawal plus GHRH in obesity 487
 therapy, and LDL oxidation in GHD 449
 therapy, spinal irradiation and BMD in GHD 169
- GHD**
 capillary permeability and density in 519
 characteristics of GH secretion in adults 79
 childhood-onset, confirmation of adult diagnosis 503
 in elderly, with hypothalamic-pituitary disease 175
 fracture risk in 159
 GH replacement and circadian blood pressure rhythms 431
 GH replacement and endothelial function 493
 isolated, effects of ghrelin 765
 LDL oxidation in 449
 lipid profile in 525
 metabolic effects of GH and growth promotion in children 799
 spinal irradiation and GH therapy 169
 vasoregulation in 759
GH receptor antagonist
 pegvisomant and acromegaly 303 (Commentary) 423
- Ghrelin**
 effects in isolated GHD 765
 interaction with somatostatin 643
 in obesity and weight loss 203
- GHRH**
 GH response in obesity 487
 GHRH + GHRP-6 test
 effects of food and exercise 89
- GHRP-2**
 combined therapy in critical illness 655
- Gitelman's syndrome**
 hypocalcaemia in (Case report) 413
- Glucagon**
 GH test in adults 329
- Glucose regulation**
 gestational diabetes and soluble E-selectin levels 335
- GnRH**
 analogues, clinical use (Review) 677
 analogues, height prognosis in central precocious puberty 297 (Commentary) 295
 combined therapy in critical illness 655
- GnRH agonists**
 androgen deprivation therapy and prostate cancer 779
 in diagnosis of gonadotrophin deficiency in boys 603
- Gonadal dysgenesis**
SHOX expression (Case report) 671
- Gonadotrophin deficiency**
 differential diagnosis in boys 603
- Gonadotrophins**
 hCG, in diagnostic test for gonadotrophin deficiency 603
- Graves' disease**
 childhood, and CTLA-4 gene 649
 TSH antibody in TBII-positive sera 405
- Growth**
 insulin and IGF axis in cystic fibrosis 383
- Haemorrhage, subarachnoid**
 neuro-cardio-endocrine response 629
- Health status, subjective**
 in Addison's disease (Commentary) 573, 581
- Height**
 prognosis, and central precocious puberty 297 (Commentary) 295
 see also Short stature, idiopathic

- Hepatic venous sampling
localization of insulinomas (Commentary) 149
- Hepatitis
viral, and interferon-alpha-induced thyrotoxicosis 793
- HLA (human leucocyte antigen) region
DQ-LTR13 and susceptibility to Addison's disease 773
- HRT
BMD in postmenopausal women 703
combination therapy for osteoporosis (Review) 565
DHEA in Addison's disease (Commentary) 573, 581
oestrogen, and endothelial function in
Turner syndrome 615
oestrogen, in Turner syndrome 359
testosterone, interpersonal transfer of topical
preparation 637
- Hydrocortisone replacement therapy
insulin action and 195
- 21-Hydroxylase deficiency
adrenal incidentalomas and 811
Argentine genotypes 239
- Hypercortisolism
bone mass and turnover in Cushing's disease 153
- Hyperkalaemia
selective hypoaldosteronism in myotonic dystrophy (Case Report) 271 (Commentary) 151
- Hyperparathyroidism
familial isolated, genetic analysis 457
primary, characterization of cystic parathyroid tumours 261
primary, and dyslipidaemia 253
primary, and loss of heterozygosity 113
- Hyperthyroidism
atrial fibrillation and 39
- Hypoaldosteronism, selective
hyperkalaemia in myotonic dystrophy (Case report) 271
(Commentary) 151
- Hypocalcaemia
in Gitelman's syndrome (Case report) 413
- Hypogonadism
oestrogen therapy and stress in elderly men 745
- Hypokalaemic periodic paralysis
 Ca^{2+} channel mutations and polymorphisms 367
familial and thyrotoxic 367
- Hypomagnesaemia
in Gitelman's syndrome (Case report) 413
- Hypopituitarism
GH therapy and LDL oxidation in GHD 449
insulin action with cortisol therapy 195
mental disorders in women 183
vasoregulation, and GHD 759
- Hypothalamic-pituitary disease
in elderly people with GHD 175
- Hypothalamo-pituitary-adrenal (HPA) axis
testing, and secondary adrenal insufficiency 533
- IGF
IGF-I, mitogenic response in idiopathic short stature 439
insulin, IGF axis and growth in cystic fibrosis 383
role of IGF system in cancer cachexia 723
- IGFBP-3
in pathophysiology of cancer cachexia 723
synthesis in idiopathic short stature 439
- Incidentalomas see Adrenal incidentalomas
- Inhibins
inhibin B in boys 215
inhibins A and B in girls 223
- Insulin
action in hydrocortisone replacement therapy 195
IGF axis and growth in cystic fibrosis 383
-secreting tumours, detection methods (Commentary) 149
- Insulinoma
metastatic pancreatic, radio-frequency ablation (Endocrine Audit) 557
- Interferon-alpha therapy
thyrotoxicosis and 793
- Iodine
sodium iodide symporter and thyroid disease
(Commentary) 427
- Isoflavones
endothelial function in menopausal women 693
- Lanreotide
effects in untreated acromegaly 65
- Leydig cell hypoplasia
LH receptor gene mutations 103
- LH
mutations in receptor gene 103
- Lipid profiles
effects of GH and growth promotion in children 799
in elderly people with GHD 175
GH replacement in adult GHD 525
GH therapy and LDL oxidation 449
pegvisomant therapy in acromegaly 303
- Men
combined releasing factor therapy and critical illness 655
dose response to octreotide in acromegaly 73
fertility after radioiodine therapy 755
genetics of undermasculinization (Review) 1
hypogonadal, oestrogen therapy and stress 745
oestrogen and bone metabolism (Commentary) 291
- Menin
expression in pituitary adenomas 589

- Menstrual cycle
 somatostatin receptor 2 expression in endometrium 609
- Mental health
 in Addison's disease (Commentary) 573, 581
 in hypopituitary women 183
- Metabolism
 combined therapy in critical illness 655
 effects of GH and growth promotion in children 799
 see also Bone
- Metastases
 adrenal 95
 bone, from differentiated thyroid carcinoma 377
 pancreatic insulinoma (Endocrine Audit) 557
 pituitary (Case report) 817
- Methoxyamines
 plasma, diurnal fluctuations 119
- Methyltestosterone
 combination therapy for osteoporosis (Review) 565
- Milk, human
 low levels of thyroid hormone 621
- Multiple endocrine neoplasia type 1 (MEN1)
 genetic analysis of familial isolated hyperparathyroidism 457
 large germline deletions of *MEN1* gene 465
 menin expression in pituitary adenomas 589
- Mycobacterium*
 atypical, and pituitary granuloma (Case report) 123
- Myotonic dystrophy
 hyperkalaemia and selective hypoaldosteronism in (Case report) 271 (Commentary) 151
- Nasal potential
 in pseudohypoaldosteronism 575
- Natriuretic peptides
 response to subarachnoid haemorrhage 629
- Neuro-cardio-endocrine response
 to subarachnoid haemorrhage 629
- Neutrophil function
 GH therapy and LDL oxidation in GHD 449
- Obesity
 effects of withdrawal of somatostatin 487
 weight loss and ghrelin 203
- Octreotide
 effects in untreated acromegaly 65
- Oestradiol
 influence of inhibins A and B in girls 223
- Oestrogen
 analogues, isoflavones and endothelial function 693
 bone metabolism in men (Commentary) 291
 combination therapy for osteoporosis (Review) 565
- replacement, and endothelial function 615
 replacement, in Turner syndrome 359, 615
 therapy, and stress in hypogonadal men 745
 see also Phyto-oestrogens
- Oral contraception
 combined, FSH and ovarian activity during 509
- Orbital irradiation
 thyroid-associated orbitopathy (Commentary) 689
- Osteoporosis
 androgen deprivation therapy and prostate cancer 779
 BMD and HRT in postmenopausal women 703
 postmenopausal, and combination therapy (Review) 565
- Ovarian cancer
 clinical use of GnRH analogues (Review) 677
- Ovarian function
 combined oral contraceptives and 509
 controlled hyperstimulation and GnRH analogues (Review) 677
 cytotoxic chemotherapy and GnRH analogues (Review) 677
- Parathyroidectomy
 primary hyperparathyroidism and dyslipidaemia 253
- Parathyroid tumours
 sporadic cystic, characterization 261
- Pegvisomant
 lipid changes in acromegaly 303
 therapeutic implications for acromegaly (Commentary) 423
- Petrosal sinus sampling
 PTHrP and Cushing's disease (Letter) 419
- Physical function
 GH excess and 351
 see also Exercise
- Phyto-oestrogens
 urinary, and BMD in postmenopausal women 321
- Pituitary adenomas
 deiodinase enzyme expression and function 735
 galanin in 397
 genetic analysis of metastases (Case report) 817
 prolactin secreting, and weight loss (Letter) 562
 scintigraphy after radiotherapy 713
 shrinkage, and somatostatin analogues 65
 sporadic, and menin expression 589
 TSH-secreting 735
- Pituitary disease
 fracture risk in 159
 isolated granuloma and atypical *Mycobacterium* (Case report) 123
- Pituitary-ovarian activity
 combined oral contraceptives and 509
- Polysomnography
 effects of GH replacement therapy 805

- Potassium regulation
K⁺-ATPase in pseudohypoaldosteronism
(Commentary) 571, 575
- Pregnancy
gestational diabetes and soluble E-selectin levels 335
- Prolactin
weight loss and PRL secreting pituitary adenomas (Letter)
562
- Prolactinoma
fracture risk and 159
- Prostate cancer
long-term androgen deprivation therapy 779
oestrogen therapy and stress in hypogonadal men 745
- Pseudohypoaldosteronism
erythrocyte Na⁺, K⁺-ATPase and nasal potential
(Commentary) 571, 575
- Pseudothyroiditis, anaplastic (Case report) 553
- Psychological stress
oestrogen therapy in hypogonadal men 745
- PTH
combination therapy for osteoporosis (Review) 565
- PTHrP
petrosal sinus sampling and Cushing's disease (Letter) 419
- Puberty
central precocious, and height prognosis 297
(Commentary) 295
central precocious, management and outcome (Review) 129
constitutional delayed, differential diagnosis 603
influence of inhibin B in boys 215
influence of inhibins A and B in girls 223
- Quality of life
in Addison's disease (Commentary) 573, 581
androgen deprivation therapy and prostate cancer 779
elderly people with GHD 175
- Radiation therapy
BMD and GH therapy in GHD 169
follow-up of pituitary adenomas 713
thyroid-associated orbitopathy (Commentary) 689
- Radio-frequency ablation
metastatic pancreatic insulinoma (Endocrine Audit) 557
- Radioiodine therapy
fertility in men 755
- Raloxifene
combination therapy for osteoporosis (Review) 565
- Renal disease
pseudohypoaldosteronism (Commentary) 571, 575
- Scintigraphy
^{99m}Tc(V)DMSA and pituitary adenoma remnants 713
- Sexual differentiation
genetics of male undermasculinization (Review) 1
- Sexual dysfunction
androgen deprivation therapy and prostate cancer 779
- Short stature, idiopathic
response of skin fibroblasts to IGF-I 439
- Skin fibroblasts
response to IGF-I, and idiopathic short stature 439
- Sleep
effects of GH replacement therapy 805
- Sodium homeostasis
cardiac hormone response to subarachnoid haemorrhage
629
in pseudohypoaldosteronism (Commentary) 571, 575
- Sodium iodide symporter (NIS)
thyroid disease and (Commentary) 427
- Somatostatin
analogues, effects in untreated acromegaly 65
analogues, gender and dose response in
acromegaly 73
interaction with ghrelin 643
receptor 2 expression in endometrium 609
somatostatinergic tone in anorexia nervosa 391
withdrawal, and GH response in obesity 487
- Spinal irradiation
BMD and GH therapy in GHD 169
- Stress
oestrogen therapy in hypogonadal men 745
- Subarachnoid haemorrhage
neuro-cardio-endocrine response 629
- Sympathetic nerve hyperactivity
in GHD 759
- Testosterone
bone metabolism in men (Commentary) 291
in diagnostic tests for gonadotrophin deficiency 603
influence of inhibin B in boys 215
substitution, interpersonal transfer of topical preparation
637
- Thyroid adenoma
aneuploidy in cell lines and tissues 341
- Thyroid-associated orbitopathy
orbital irradiation (Commentary) 689
- Thyroid carcinoma
anaplastic (Case report) 553
differentiated, and bone metastases 377
differentiated, and recombinant human TSH 247
familial medullary, genetic analysis 53 (Letter) 823
follicular, aneuploidy in 341
male fertility after radioiodine therapy 755
papillary, and FMTC phenocopies 53

- Thyroid function
 role of deiodinase enzymes 735
 sodium iodide symporter (NIS) and (Commentary) 427
- see also Autoimmune thyroid disease
- Thyroid nodules
 fine-needle aspiration diagnosis (Review) 281
- Thyrotoxic hypokalaemic periodic paralysis 367
- Thyrotoxicosis
 amiodarone-induced 33
 anaplastic pseudothyroiditis (Case report) 553
 interferon-alpha-induced 793
 role of colour-flow Doppler sonography 33
- Thyrotrophin-releasing hormone
 TRH test, and recurrence risk in acromegaly 313
- Thyroxine
 levels in human milk and preterm infants 621
- TRH
 combined therapy in critical illness 655
- TSH
 antibody in TBII-positive sera in Graves' disease 405
 recombinant human, and differentiated thyroid
 cancer 247
 secretion by pituitary adenomas 735
- Turner syndrome
 audit of adult females (Letter) 561
 effects of HRT on endothelial function 615
 oestrogen therapy and uterine development 359
- Ultrasonography
 in amiodarone-induced thyrotoxicosis 33
- Uterine disorders
 clinical use of GnRH analogues (Review) 677
 developmental, in Turner syndrome 359
- Ventilation threshold
 GH excess and physical function 351
- Ventricular hypertrophy
 acromegaly and 595
- Virilization
 complete, in CAH 231
- Weight loss
 ghrelin and 203
 prolactin secreting pituitary adenomas (Letter) 562
- Women
 audit of Turner syndrome (Letter) 561
 combination therapy for osteoporosis (Review) 565
 dose response to octreotide in acromegaly 73
 effects of HRT in Turner syndrome 615
 gestational diabetes and soluble E-selectin levels 335
 hypopituitarism and mental disorders 183
 isoflavones and endothelial function 693
 postmenopausal, BMD and HRT 703
SHOX expression and stature (Case report) 671
 somatostatin receptor 2 expression in endometrium 609
 urinary phyto-oestrogens and BMD 321



